Title: Data and DOIs related to "Laser produced electromagnetic pulses: generation, detection and mitigation"

## Authors:

Fabrizio Consoli,<sup>1</sup>, \* Vladimir T. Tikhonchuk,<sup>2, 3</sup> Matthieu Bardon,<sup>4</sup> Philip Bradford,<sup>5</sup> David C. Carroll,<sup>6</sup> Jakub Cikhardt,<sup>7, 8</sup> Mattia Cipriani,<sup>1</sup> Robert J. Clarke,<sup>6</sup> Thomas E. Cowan,<sup>9</sup> Colin N. Danson,<sup>10, 11, 12</sup> Riccardo De Angelis,<sup>1</sup> Massimo De Marco,<sup>13</sup> Jean-Luc Dubois,<sup>2</sup> Bertrand Etchessahar,<sup>4</sup> Alejandro Laso Garcia,<sup>9</sup> David I. Hillier,<sup>10, 12</sup> Ales Honsa,<sup>3</sup> Weiman Jiang,<sup>14</sup> Viliam Kmetik,<sup>3</sup> Josef Krása,<sup>15</sup> Yutong Li,<sup>14, 16</sup> Frédéric Lubrano,<sup>4</sup> Paul McKenna,<sup>17</sup> Josefine Metzkes-Ng,<sup>9</sup> Alexandre Poyé,<sup>18</sup> Irene Prencipe,<sup>9</sup> Piotr Rączka,<sup>19</sup> Roland A. Smith,<sup>20</sup> Roman Vrana,<sup>3</sup> Nigel C. Woolsey,<sup>5</sup> Egle Zemaityte,<sup>17</sup> Yihang Zhang,<sup>14, 16</sup> Zhe Zhang,<sup>14</sup> Bernhard Zielbauer,<sup>21</sup> and David Neely<sup>6, 10, 17</sup>

## Institutions:

<sup>1</sup>ENEA, Fusion and Technologies for Nuclear Safety Department, C.R. Frascati, 00044 Frascati, Italy

<sup>2</sup>CELIA, University of Bordeaux, CNRS, CEA, 33405 Talence, France

<sup>3</sup>ELI-Beamlines, Institute of Physics, Czech Academy of Sciences, 25241 Doln'ı B're'zany, Czech Republic

<sup>4</sup>CEA, DAM, CESTA, 33116 Le Barp, France

<sup>5</sup>Department of Physics, York Plasma Institute, University of York, Heslington, York YO10 5DD, UK

<sup>6</sup>Central Laser Facility, Rutherford Appleton Laboratory, Chilton, Didcot, STFC, UKRI, Oxfordshire, OX11 0QX, UK

<sup>7</sup>Czech Technical University in Prague, Faculty of Electrical Engineering, 166 27 Prague 6, Czech Republic

<sup>8</sup>Institute of Plasma Physics of the Czech Academy of Sciences, Za Slovankou 3, 182 00 Prague, Czech Republic

<sup>9</sup>Helmholtz-Zentrum Dresden-Rossendorf, Institut für Strahlenphysik, 01328 Dresden, Germany

<sup>10</sup>AWE plc, Aldermaston, Reading, Berkshire RG7 4PR, UK

<sup>11</sup>OxCHEDS, Clarendon Laboratory, Department of Physics, University of Oxford, Oxford, OX1 3PU, UK

<sup>12</sup>CIFS, Blackett Laboratory, Imperial College, London, SW7 2AZ, UK

<sup>13</sup>Centro de Laseres Pulsados (CLPU), 37185 Villamayor, Salamanca, Spain

<sup>14</sup>Beijing National Laboratory for Condensed Matter Physics, Institute of Physics, Chinese Academy of Sciences, Beijing 100190, China

<sup>15</sup>Institute of Physics of the Czech Academy of Sciences, Na Slovance 2, 182 21 Prague, Czech Republic

<sup>16</sup>School of Physical Sciences, University of Chinese Academy of Sciences, Beijing 100049, China

<sup>17</sup>Department of Physics, Scottish Universities Physics Alliance (SUPA), University of Strathclyde, Glasgow, G4 0NG, UK

<sup>18</sup>Laboratory PIIM, University Aix-Marseille-CNRS, 13397 Marseille, France

<sup>19</sup>Institute of Plasma Physics and Laser Microfusion, 01-497 Warsaw, Poland

<sup>20</sup>The Blackett Laboratory, Imperial College London, Prince Consort Road, London, SW7 2AZ, United Kingdom

<sup>21</sup>PHELIX Group, GSI Helmholtzzentrum für Schwerionenforschung, D-64291 Darmstadt, Germany

This repository entry is a central DOI for data related to the electromagnetic pulse (EMP) review paper titled: "Laser produced electromagnetic pulses: generation, detection and mitigation". Data already in existing archives have the DOI provided. New data not in an archive is provided within this DOI.

The review paper abstract is:

"This paper provides an up to date review of the problems related to the generation, detection and mitigation of strong electromagnetic pulses created in the interaction of high power, high energy laser pulses with different types of solid targets. It includes new experimental data obtained independently at several international laboratories. The mechanisms of electromagnetic field generation are analyzed and considered as a function of the intensity and the spectral range of emissions they produce. The major emphasis is put towards the GHz frequency domain which is the most damaging for electronics and may have important applications. The physics of electromagnetic emissions in other spectral domains, in particular THz and MHz, is also discussed. The theoretical models and numerical simulations are compared with the results of experimental measurements, with special attention to the methodology of measurements and complementary diagnostics. Understanding the underlying physical processes is the basis for developing techniques to mitigate the electromagnetic threat and to harness electromagnetic emissions, which may have promising applications."

List of data:

- Figure 5: Matlab code and input file used to generate figure provided in file "Figures-5-6\_Poye-A.zip"
- Figure 6: Matlab code and input file used to generate figure provided in file "Figures-5-6\_Poye-A.zip"
- Figure 18: experimental data used to generate figure is located at: http://dx.doi.org/10.5286/edata/1
- Figure 54: data used to generate figure is located at: <u>https://doi.org/10.15124/a5d78c76-0546-412c-8b02-9edcb75efbb7</u>
- Figure 55: data used to generate figure is located at: <u>https://doi.org/10.15124/a5d78c76-0546-412c-8b02-9edcb75efbb7</u>
- Figure 56: data used to generate figure is located at: <u>https://doi.org/10.15124/a5d78c76-0546-412c-8b02-9edcb75efbb7</u>
- Figure 57: data used in figure given in excel spreadsheet provided in file "Figures-57-58-59\_Orion\_Hillier-D"
- Figure 58: data used in figure given in excel spreadsheet provided in file "Figures-57-58-59\_Orion\_Hillier-D"

• Figure 59: data used in figure given in excel spreadsheet provided in file "Figures-57-58-59\_Orion\_Hillier-D"

Keywords / tags:

EMP, electromagnetic pulse, laser-plasma, high power laser

## Acknowledgements /Grants:

Portions of this work have been carried out within the framework of the EUROfusion Consortium and funded from the Euratom research and training programme 2014-2018 and 2019-2020 (ENRIFE19.CCFE-01) under grant agreement No 633053. The views and opinions expressed herein do not necessarily reflect those of the European Commission. Part of this work was realized within the ELI Beamlines Projects LQ1606 and 19-02545S with financial support from the Czech Science Foundation and the Ministry of Education, Youth and Sports of the Czech Republic. The authors acknowledge support from the European Regional Development Fund, the project ELITAS CZ.02.1.01/0.0/0.0/16 013/0001793, the National Programme of "Sustainability II" and ELI phase 2 CZ.02.1.01/0.0/0.0/15008/0000162. The PETAL project was designed and built by the CEA under the financial auspices of the Region Nouvelle Aquitaine, the French Government and the European Union. This work was supported by EPSRC grants EP/K022415/1 and EP/R006202/1. This work was supported by the European Cluster of Advanced Laser Light Sources, EUCALL, which has received funding from the European Union's Horizon 2020 research and innovation programme under grant agreement No 654220. This work has received funding from the European Union's Horizon 2020 research and innovation programme under grant agreement No 654148 Laserlab-Europe. The authors also acknowledge the use of the EPOCH PIC code (developed under EPSRC grant EP/G054940/1) and the computing resources provided by STFC Scientific Computing Department's SCARF cluster.